



Features

22 Detecting Suicide Risk in Adolescents and Adults in an Emergency Department: A Pilot Study

Using the Risk of Suicide Questionnaire can help identify patients at risk for suicide—in as few as 2 to 4 questions.

Victoria N. Folse, PhD, APRN, BC, LCPC, Katie N. Eich, RN, BSN, Amy M. Hall, RN, PhD, and Joan B. Ruppman, RN, MS




22

33 Standardizing the Care of Detox Patients to Achieve Quality Outcomes

Discover how a multidisciplinary team came together to develop patient-centered protocols for alcohol withdrawal.

Kathy Becker, RN, MS, and Sue Semrow, RN, BSN, MSOLQ



33

40 Needs of Families Affected by Mental Illness

Learn what specific family members need, and 4 ways nurses can help put the pieces together.

Kathleen LeClear O'Connell, PhD, RN



40

Sections

13 Psychopharmacology

Principles and Practice of Polypharmacotherapy

Although not without problems, using multiple drugs can reduce persistent symptoms and increase the possibility of remission.

Robert H. Howland, MD

17 Aging Matters

Health Literacy in Older Adults

Patients who can't understand health care instructions are more likely to have negative health outcomes. How can you help?

Jeanne M. Sorrell, PhD, RN, FAAN

Departments

- 6 Guest Editorial
- 9 Letter to the Editor
- 10 News
- 12 Product Update
- 21 Erratum
- 50 CE Quiz**
- 52 NARSAD Art